



APPENDIX C TO SUBPART R OF PART 1926—ILLUSTRATIONS OF BRIDGING TERMINUS POINTS: NON-MANDATORY

Appendix C to Subpart R – Illustrations of Bridging Terminus Points: Non-mandatory


Guidelines for Complying with §§1926.757(a)(10) and 1926.757(c)(5).




HORIZONTAL BRIDGING  
TERMINUS AT WALL




HORIZONTAL BRIDGING  
TERMINUS AT WALL




HORIZONTAL BRIDGING  
TERMINUS AT PANEL WALL




HORIZONTAL BRIDGING  
TERMINUS AT  
STRUCTURAL SHAPE




HORIZONTAL BRIDGING  
TERMINUS AT STRUCTURAL  
SHAPE WITH OPTIONAL  
"X-BRIDGING"




BOLTED DIAGONAL BRIDGING  
TERMINUS AT WALL




BOLTED DIAGONAL BRIDGING  
TERMINUS AT WALL




BOLTED DIAGONAL BRIDGING  
TERMINUS AT WALL




JOISTS PAIR BRIDGING  
TERMINUS POINT



JOISTS PAIR BRIDGING  
TERMINUS POINT  
W/HORIZ. TRUSS



HORIZONTAL BRIDGING  
TERMINUS POINT  
SECURED BY TEMP.  
GUY CABLES



DIAGONAL BRIDGING  
TERMINUS POINT  
SECURED BY TEMP.  
GUY CABLES

APPENDIX D TO SUBPART R OF PART  
1926—ILLUSTRATION OF THE USE OF  
CONTROL LINES TO DEMARCATe CON-  
TROLLED DECKING ZONES (CDZs):  
NON-MANDATORY GUIDELINES FOR  
COMPLYING WITH §1926.760(c)(3)

(1) When used to control access to areas  
where leading edge and initial securement of

metal deck and other operations connected  
with leading edge work are taking place, the  
controlled decking zone (CDZ) is defined by a  
control line or by any other means that re-  
stricts access.

(i) A control line for a CDZ is erected not  
less than 6 feet (1.8 m) nor more than 90 feet  
(27.4 m) from the leading edge.

(ii) Control lines extend along the entire  
length of the unprotected or leading edge